

Tuesday, January 17, 2017 11:28:36 AM

Page 1

DAS
21
9-8

DAS
27
9-85

DAY
6
9-89

DA
27
9-8

FEB 01 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 155595***155595***

Page 2

Tuesday, January 17, 2017 11:28:36 AM

Item ID: D119-827-011

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Tail Rotor Pedal Lockout

Start Date: 1/10/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/17/2017 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

0.00

130

Packaging

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D119-827-011

Location: _____

fs 124

DAS DAS
27 28
9-89 9-89

FEB 01 2017

140

0.00

140

QC

QC21- Final Inspection - Work Order Release

Memo

0.02

Quality Control

DAS
21
9-89

FEB 02 2017

DAS
21
9-89

FEB 02 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Tuesday, January 17, 2017 11:28:35 AM

Page 1

Work Order ID: 155595

155595

Parent Item: D119-827-011

D119-827-011

Parent Item Name: Tail Rotor Pedal Lockout

Start Date: 1/10/2017

Required Date: 1/17/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 12.10.16 AS PER DWG REV.A DD VERF:JFS IPP
REV:B 13-01-09 REV B JLM VERIFIED:DD IPP REV:C
12.10.16 as per CHG002 (ecn 13-538) DD VERF:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4704-041 *D4704-041* Expandable Pin Assembly		Manufactured	No			110	Each	0.0000	1	1			
D4703-041 *D4703-041* Lock Pin Assembly		Manufactured	No			110	Each	1.0000	2	2			
Location ST119 154760 Loc Qty 1 Loc Code 155772x1													
D4710-1 *D4710-1* Spacer		Manufactured	No			110	Each	15.0000	1	1			
Location ST120 140172 Loc Qty 15 Loc Code 154767x1													
D4721-1 *D4721-1* Decal		Manufactured	No			110	Each	6.0000	1	1			
Location ST121 152615 Loc Qty 6 Loc Code 11/8/2017													

DAS 28 9-89

DAS 6 FEB 01 2017 9-89

DAS 6 FEB 01 2017 9-89

DAS 6 FEB 01 2017 9-89

DAS 28 FEB 01 2017 9-89

DAS 6 FEB 01 2017 9-89

DAS 28 FEB 01 2017 9-89

DAS 27 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Tuesday, January 17, 2017 11:28:35 AM

Page 2

Work Order ID: 155595

155595

Parent Item: D119-827-011

D119-827-011

Parent Item Name: Tail Rotor Pedal Lockout

Start Date: 1/10/2017

Required Date: 1/17/2017

Start Qty: 1.00

Required Qty: 1.00

AN4-11A Purchased No
AN4-11A
 BOLT

110 Each 133.0000 2 2

**

DAS
27
9-89

Location

Loc Qty

Loc Code

FG 20
 120731 20
 over003 100
 M136263 100
 ST344 13
 M136259 13

DAS
6
9-89

FEB 01 2017

DAS
28
9-89

MS14144L4 Purchased No
MS14144L4
 Nut

110 Each 13.0000 2 2

**

DAS
27
9-89

Location

Loc Qty

Loc Code

ST316 13
 m136182 13

DAS
6
9-89

FEB 01 2017

DAS
28
9-89

MS24665-153 Purchased No
MS24665-153
 Cotter Pin

110 Each 43.0000 2 2

**

DAS
27
9-89

Location

Loc Qty

Loc Code

ST289 43
 107139 43

DAS
6
9-89

FEB 01 2017

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :					
Misidentified ☐	Past Due ☐						

Picklist Print

Tuesday, January 17, 2017 11:28:35 AM

Page 3

Work Order ID: 155595

155595

Parent Item: D119-827-011

D119-827-011

Parent Item Name: Tail Rotor Pedal Lockout

Start Date: 1/10/2017

Required Date: 1/17/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0416J Purchased

No

110

Each

3,929.000

2

2

NAS1149D0416.J

WASHER

DAS
27
9-89

Location

Loc Qty

Loc Code

GA

7

m131511

7

ST260a

2490

m131511

2490

ST264

1432

m131511

1432

NAS1149D0463J Purchased

No

110

Each

2,497.000

8

8

NAS1149D0463.J

Washer

DAS
27
9-89

Location

Loc Qty

Loc Code

GA

80

M134508

13

M135056

67

ST260a

1200

M136192

600

M136263

600

ST263

1217

M136044

217

M136406

1000

NAS6604D16 Purchased

No

110

Each

29.0000

2

2

NAS6604D16

Bolt

DAS
27
9-89

Location

Loc Qty

Loc Code

ST551

20

m136318

20

st552

9

m134955

9

DAS
6
9-89

FEB 01 2017

DAS
28
9-89

DAS
6
9-89

FEB 01 2017

DAS
28
9-89

DAS
6
9-89

FEB 01 2017

DAS
28
9-89

Tuesday, January 17, 2017 11:28:35 AM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 155595***155595***

Page 1

Wednesday, February 01, 2017 9:09:22 AM

Item ID: D119-827-011

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Tail Rotor Pedal Lockout

Start Date: 1/10/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/17/2017 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

IIN-D119-827

D

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D119-827-011 CHG002

DAS
21
8-89

FEB 01 2017

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.00

Quality Control

4.0 PARTS LIST

-011	Part Number	Description
X	D119-827-011	TAIL ROTOR PEDAL LOCKOUT
1	D4704-041	EXPANDABLE PIN ASSY
2	D4703-041	LOCKOUT PIN ASSY
1	D4710-1	SPACER
1	D4721-1	DECAL
2	AN4-11A	BOLT
2	MS14144L4	NUT
2	MS24665-153	COTTER PIN
2	NAS1149D0416J	WASHER
8	NAS1149D0463J	WASHER
2	NAS6604D16	BOLT

5.0 WEIGHT AND BALANCE

The following are the net weight increases associated with D119-827-011 kit.

Installation	Weight	Longitudinal		Lateral	
		Arm	Moment	Arm	Moment
D119-827-011 ON A109/A119 MODELS	0.52 lb 0.23 kg	32.6 in 0.83 m	16.9 in-lb 0.19 m-kg	-13.1 in -0.33 m	-6.8 in-lb -0.08 m-kg
D119-827-011 ON 206/407 MODELS	0.52 lb 0.23 kg	33.0 in 0.84 m	17.2 in-lb 0.19 m-kg	-12.5 in -0.32 m	-6.5 in-lb -0.07 m-kg

• COPYRIGHT © 2012 BY DART AEROSPACE USA INC. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA INC.

Revision: D

Date: 13.07.18